



SG 2730



FLEX



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S - L
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, anodised aluminum
- **Fabrics:** refer to Silent Gliss fabric collection

Features:


- 2-component (2C) roller technology
- Silent and smooth running
- Free floating or connected panels
- Bendable

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS



Panels free floating:
unlimited
Panels connected: 6 m




3 m



Max. 2 kg per m


B. PROFILE

Profile and bending information




SG 10132
Profile 2-channel

Radius:
✓ 15 cm, >25 cm




SG 10133
Profile 3-channel

Radius:
✓ 15 cm, >25 cm




SG 10134
Profile 4-channel

Radius:
✓ 15 cm, >25 cm



SG 10135
Profile 5-channel

Radius:
✓ 15 cm, >25 cm




SG 10179
Profile




SG 10180
Carrier flexible

C. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

Dimensions of Panels



Free floating:

A: Panel width: 500 - 1200

Connected:

A: Panel width: 500 - 1200


B: Overlap: min. 120

FITTING

A. FITTING INFORMATION


Fixing points

For detailed fitting information, visit the Silent Gliss website.



B. CEILING FITTING


Direct fitting



X = depending on room conditions


C. WALL FITTING

Smart Fix



Smart Fix with slot SG 11206 - SG 11208:


Screw SG 10395 (M4x6) needed.



Square Smart Fix with slot SG 11216 - SG 11218:

Screw SG 10395 (M4x6) needed.


Smart Fix	X mm (SG 10132)	X mm (SG 10133)	X mm (SG 10134)	X mm (SG 10135)
SG 11206 / SG 11216	50	32	-	-
SG 11207 / SG 11217	70	52	34	-
SG 11208 / SG 11218	90	72	44	on request




SG 10160
Slot nut




SG 10395
Pan head screw M4x6




SG 11206
Smart Fix with slot 60 mm




SG 11207
Smart Fix with slot 80 mm




SG 11208
Smart Fix with slot 100 mm



SG 11216
Square Smart Fix with slot 60 mm




SG 11217
Square Smart Fix with slot 80 mm




SG 11218
Square Smart Fix with slot 100 mm

SYSTEM OPTIONS

A. OPERATION



Free floating (unconnected panels)



Connected panels (draw rod optional)

B. PANEL STACKING (CONNECTED)



Single stack

Note: dot = fixed panel









Pair stack

Note: dot = fixed panel






Other variations are possible. Same splitting for curved profiles.










PARTS


A. STANDARD PARTS

	SG 10133 Profile 3-channel
	SG 10159 Countersunk head screw 3.5x13
	SG 10163 End cover
	SG 10167 Clip left
	SG 10168 Clip right
	SG 10179 Profile
	SG 10180 Carrier flexible
	SG 10200 2C roller
	SG 10233 Lead weight 100 gr/m
	SG 10234 Fabric weight glass
	SG 10237 Clip holder
	SG 10248 Screw Pozi 4.5x70 mm SPAX

B. OPTIONAL PARTS


	SG 6149 Safety glider blue
	SG 6245 Spring stop
	SG 10076 Fabric weight
	SG 10132 Profile 2-channel
	SG 10134 Profile 4-channel
	SG 10135 Profile 5-channel
	SG 10156 End stop
	SG 10160 Slot nut
	SG 10162 End cover
	SG 10164 End cover
	SG 10165 End cover
	SG 10177 Connection bridge
	SG 10196 Eyelet for draw rod
	SG 10235 Sticker for screw head

	SG 10239 Angle left
	SG 10241 Angle right
	SG 10243 Angle
	SG 10244 Slider
	SG 10247 Screw Pozi 4.5x50 mm SPAX
	SG 10395 Pan head screw M4x6
	SG 10430 Draw rod 50 cm
	SG 10431 Draw rod 75 cm
	SG 10432 Draw rod 100 cm
	SG 10433 Draw rod 125 cm
	SG 10434 Draw rod 150 cm
	SG 11206 Smart Fix with slot 60 mm
	SG 11207 Smart Fix with slot 80 mm
	SG 11208 Smart Fix with slot 100 mm




SG 11216

Square Smart Fix with slot 60 mm



SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm
