



SG 2090



PRODUCT INFORMATION


- **Operation:** cord
- **Range:** S
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016
- **Fabrics:** refer to Silent Gliss fabric collection

Features:


- Easy installation on window sash

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS



1 m



2 m




0.7 kg




2 m²

B. PROFILE

Profile information




SG 2116
Velcro profile



SG 2004
Bottom bar 20x7 mm

C. HOW TO MEASURE




- A: System width
- B: System height
- C: Cleats SG 10742 min. 150 cm above floor
- D: 7 - 35 cm depending on system height

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the [Silent Gliss website](#).

Fixing points



B. WALL FITTING

Clip bracket SG 3666




SG 3666

Clip

SYSTEM OPTIONS

A. FABRIC MAKE-UP



A: Loop tape SG 3074

B: Cord SG 2216

C: Child safety fastener set SG 3167















D: Hollow hem

E: Bottom bar SG 2004



F: Child safety: max. distance 200 mm!

PARTS

A. STANDARD PARTS

	SG 2004 Bottom bar 20x7 mm
	SG 2116 Velcro profile
	SG 2131 End cover
	SG 2215 Eyelet
	SG 2216 Cord ø 0.85 mm
	SG 2539 Tape
	SG 2826 Bead chain connector
	SG 3074 Loop tape
	SG 3167 Child safety fastener set
	SG 3185 Cord lock
	SG 3637 Cord ø 1.5 mm
	SG 3666 Clip
	SG 10742 Child safety cord cleat
	SG 10745 Child safety break away cord connector

B. OPTIONAL PARTS

	SG 3055 Hook
	SG 11482 Ring